

The Alaska Dietary Survey

1956-1961

CHRISTINE A. HELLER, Ph. D.

Nutritionist, Nutrition and Metabolic Disease Section, Arctic Health Research Center, U.S. Public Health Service, Department of Health, Education, and Welfare, Anchorage, Alaska.

EDWARD M. SCOTT, Ph. D.

Chief, Nutrition and Metabolic Disease, Arctic Health Research Center, U.S. Public Health Service, Department of Health, Education, and Welfare, Anchorage, Alaska.

**U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
Public Health Service**

**Nutrition and Metabolic Disease Section
Arctic Health Research Center
Anchorage, Alaska**

ACKNOWLEDGMENTS

The authors wish to express appreciation to the following individuals for valuable assistance in the study and in the preparation of the manuscript.

Interpreter-helpers in the villages:

Huslia: Miss Eliza Olin, Mrs. Marie Yaska, Miss Alda Henry

Allakaket: Mrs. Marie Henzie, Miss Lillian Koyukuk

Akiak: Mr. Lott Egoak

Newtok: Mrs. Pauline Tom

Kasigluk: Miss Lucy Albrite, Miss Xenia Guest

Hooper Bay: Mr. Reuben Hill, Mr. Fred Savok, Mr. and Mrs. Rudy Smith, Miss Joan Bill

Napaskiak: Mrs. Marie Clark Maxie, Mrs. Mary Macdougall (Bureau of Indian Affairs Teacher)

Point Hope: Mr. Herbert Kinneaveauk, Mr. Joseph Towksjhea, Mrs. Lydia Tuzroyluk Nashookpuk

Noatak: Mrs. Juanita Norton, Mrs. Daisy Walton

Shungnak: Miss Ruth Lee

Shishmaref: Mrs. Lucy Tocktoo

Special acknowledgment is also made of the financial assistance provided by the following: Division of Indian Health, Bureau of Medical Services • National Institute of Arthritis and Metabolic Diseases • National Heart Institute • National Institute of Dental Research • Interdepartmental Committee on Nutrition for National Defense

Invaluable assistance in programming and computing the data involved in the Study was furnished by the University of Alaska and, specifically, by Douglas K. Smith formerly of the Department of Mathematics, Physical Sciences and Engineering, under a grant from the National Science Foundation (NSF-G19984).

PHOTOGRAPHS: 1-8, 10-16, 20 and 21 by Christine Heller. 9, 18 and 19 by Nick Tom of Newtok, Alaska. 22-25 by Peter Stone, Pacific University, Forest Grove, Oregon.

CONTENTS

	Page
ACKNOWLEDGMENTS	2
I. INTRODUCTION AND METHODS	13
II. VILLAGE DESCRIPTIONS	16
North Central Athapascan Indian	
Allakaket	16
Huslia	17
Northern Eskimo	
Point Hope	18
Noatak	20
Shishmaref	21
Shungnak	22
Southwestern Eskimo	
Akiak	23
Napaskiak	24
Kasigluk	25
Hooper Bay	26
Newtok	29
III. ADEQUACY OF THE DIET AND NUTRIENT SOURCE	31
Calories	31
Protein	36
Fat	37
Carbohydrate	43
Calcium	46
Iron	51
Vitamin A	55
Thiamine	59
Riboflavin	63
Niacin	66
Ascorbic Acid	66

	Page
IV. THE DIET OF THE INFANT	73
Introduction	73
Past Infant Feeding Practices	73
Findings of Present Study	
Source of Milk in Infant Diets	75
Current Infant Feeding Practices	76
The Diet of Lactating Women	79
Adequacy of the Infant Diet and Nutrient Source	
In Comparison to NRC Recommendations	81
Use of Supplemental Foods—Kinds and	
Seasonality	81
Adequacy of Specific Nutrients	
Calories	89
Carbohydrates	93
Protein	96
Calcium	97
Iron	100
Vitamin A	101
B-Vitamins	102
Ascorbic Acid	105
V. FOOD USE AND PREPARATION	109
Introduction	109
Cooking Equipment	109
Meals, General Cooking and Food Storage Procedures	
Use of Cooked, Raw-Dried and Raw-Frozen Meat and	
Fish	112
Use of Vegetables and Fruits	115
Imported Foods and Factors Determining Their Use	
and Preparation	119
Eating Habits	129
Food Quantities Eaten	132
Cooking and Other Equipment	135
VI. SEASONAL FOOD QUEST ACTIVITIES	149
Factors Affecting Quest Activities and the	
Food Supply:	
Topographic Features, Variable Food Supply and	
Weather	152
Acculturation	154
Population Trends	157
Present Day Seasonal Food Quest Activities	162
SUMMARY	165
BIBLIOGRAPHY	169
GLOSSARY	174

APPENDIX

I. List of Animals, Birds, Fishes and Plants Used as Food by Alaskan Eskimos and Athapascan Indians	177
II. Composition of Alaskan Foods	182
III. Source of Eleven Specific Nutrients in Alaskan Eskimo and Indian Diets, By Age and Sex	186
IV. Some Particular Methods of Food Preparation	226
V. Present Day Food Quest Activities, By Area and Village	243
VI. Three Food Quest Patterns of the Past	277

TABLES

Table 1. Caloric intakes: Alaskan Eskimos and Indians, by age and sex	32
Table 2. Caloric intakes: Alaskan Eskimo and Indian Children 2 to 6 years of age, by area, by age level	33
Table 3. Proportion of calories from selected food groups, by village	34
Table 4. Proportion of calories from local and imported foods, by village	35
Table 5. Protein intakes: Alaskan Eskimos and Indians, by age and sex	37
Table 6. Proportion of protein from selected food groups, by village	38
Table 7. Proportion of protein from local and imported foods, by village	49
Table 8. Proportion of fat from selected food groups, by village	40
Table 9. Proportion of fat from local and imported foods, by village	41
Table 10. Proportion of carbohydrate from local and imported foods, by village	44
Table 11. Proportion of carbohydrates from selected food groups, by village	45
Table 12. Calcium intakes: Alaskan Eskimos and Indians, by age and sex	47
Table 13. Proportion of calcium from selected food groups, by village	48
Table 14. Proportion of calcium from local and imported foods, by village	49
Table 15. Iron intakes: Alaskan Eskimos and Indians, by age and sex	51

	Page
Table 16. Iron intakes of Alaskan Eskimo and Indian children, 2 to 5 years of age, by area	52
Table 17. Proportion of iron from selected food groups, by village	53
Table 18. Proportion of iron from local and imported foods, by village	54
Table 19. Vitamin A intakes: Alaskan Eskimos and Indians, by age and sex	55
Table 20. Proportion of Vitamin A from selected food groups, by village	56
Table 21. Proportion of Vitamin A from local and imported foods, by village	58
Table 22. Thiamine intakes: Alaskan Eskimos and Indians, by age and sex	59
Table 23. Proportion of thiamine from selected food groups, by village	60
Table 24. Proportion of thiamine from local and imported foods, by village	61
Table 25. Riboflavin intakes: Alaskan Eskimos and Indians, by age and sex	63
Table 26. Proportion of riboflavin from selected food groups, by village	64
Table 27. Proportion of riboflavin from local and imported foods, by village	65
Table 28. Niacin intakes: Alaskan Eskimos and Indians, by age and sex	66
Table 29. Proportion of niacin from selected food groups, by village	67
Table 30. Proportion of niacin from local and imported foods, by village	68
Table 31. Ascorbic acid intakes: Alaskan Eskimos and Indians, by age and sex	69
Table 32. Ascorbic acid intakes of Alaskan Eskimo and Indian children 2 to 5 years of age, by area, by age level	70
Table 33. Proportion of ascorbic acid from selected food groups, by village	71
Table 34. Proportion of ascorbic acid from local and imported foods, by village	72
Table 35. Source of milk, 555 diets: breast and formula-fed infants under 2 years	76
Table 36. Average daily intake of iron and vitamins, 193 diets of lactating women, all areas and villages, by season	77

	Page
Table 37. Average daily intake of protein, 193 diets: lactating women, by geographical area	78
Table 38. Average daily intake of calcium, 193 diets: lactating women, by geographical area	78
Table 39. Average daily intake of iron, 193 diets: lactating women, by geographical area	79
Table 40. Average daily intake of vitamin A, 193 diets: lactating women, by geographical area	80
Table 41. Average daily intake of ascorbic acid, 193 diets: lactating women, by geographical area	80
Table 42. Percentage of diets with average daily intakes below the recommended allowance: nine nutrients, 282 diets: formula-fed infants under 2 years, by age level	82
Table 43. Nutrient distribution and intake ranges, 282 diets: formula-fed infants under 2 years, by season	83
Table 44. Percentage of nutrient intakes below NRC recommended allowances, 282 diets: formula-fed infants under 2 years, by season	84
Table 45. Average daily intake of nutrients from selected food groups, 282 diets: formula-fed infants under 2 years	85
Table 46. Percent nutrient from food source, 282 diets: formula-fed infants under 2 years	86
Table 47. Percent nutrient from food source, 282 diets: formula-fed infants under 2 years, by season	87
Table 48. Protein supplements used in infant diets, 555 diets: breast and formula-fed infants under 2 years, by age level	88
Table 49. Fat supplements used in infant diets, 555 diets: breast and formula-fed infants under 2 years, by age level	88
Table 50. Fruits and vegetables as supplements in infant diets, 555 diets: breast and formula-fed infants under 2 years, by age level	89
Table 51. Use of supplemental foods, infant diets, Hooper Bay	90
Table 52. Seasonal supplementation of infant diets with local foods, Hooper Bay	92
Table 53. Vitamin supplementation, 555 diets: breast and formula-fed infants under 2 years, by area, by age level	92

	Page
Table 54. Percent total vitamin intake from pharmaceutical supplements, 282 diets: formula-fed infants under 2 years, by season	93
Table 55. Caloric intakes, 282 diets: formula-fed infants under 2 years, by age level	94
Table 56. Source of calories, 282 diets: formula-fed infants under 2 years, by season	95
Table 57. Carbohydrate supplements, 555 diets: breast and formula-fed infants under 2 years, by age level	95
Table 58. Protein intakes: 282 diets, formula-fed infants under 2 years, by age level	96
Table 59. Source of protein: 282 diets, formula-fed infants under 2 years, by season	97
Table 60. Calcium intakes: 282 diets, formula-fed infants under 2 years, by age level	98
Table 61. Source of calcium: 282 diets, formula-fed infants under 2 years, by season	98
Table 62. Iron intakes: 282 diets, formula-fed infants under 2 years, by age level	99
Table 63. Source of iron: 282 diets, formula-fed infants under 2 years, by season	99
Table 64. Vitamin A intakes: 282 diets, formula-fed infants under 2 years, by age level	100
Table 65. Source of vitamin A: 282 diets, formula-fed infants under 2 years, by season	101
Table 66. Thiamine intakes: 282 diets, formula-fed infants under 2 years, by age level	102
Table 67. Source of thiamine: 282 diets, formula-fed infants under 2 years, by season	103
Table 68. Riboflavin intakes: 282 diets, formula-fed infants under 2 years, by age level	103
Table 69. Source of riboflavin: 282 diets, formula-fed infants under 2 years, by season	104
Table 70. Niacin intakes: 282 diets, formula-fed infants under 2 years, by age level	104
Table 71. Source of niacin: 282 diets, formula-fed infants under 2 years, by season	105
Table 72. Ascorbic acid intakes: 282 diets, formula-fed infants under 2 years, by age level	106
Table 73. Source of ascorbic acid: 282 diets, formula-fed infants under 2 years, by area	107
Table 74. Source of ascorbic acid: 282 diets, formula-fed infants under 2 years, by season	107

Table 75.	Percent total protein from meat and fish, Eskimo and Indian diets, by area and village	112
Table 76.	Percent meat and fish protein from the raw frozen, raw dried and cooked product, adult male and female diets, by geographic area and village	114
Table 77.	Per capita source of eleven nutrients from selected food groups, Alaskan Eskimo and Indian diets	122
Table 78.	Per capita source of eleven nutrients from local and imported food, Alaskan Eskimo and Indian diets	123
Table 79.	Comparison: consumption of selected food groups, U.S.D.A. and Alaskan Eskimos and Indians, in pounds	125
Table 80.	Comparison: estimated daily consumption of selected nutrients, U.S.D.A. and Alaskan Eskimos and Indians per person, per day	129
Table 81.	Comparison: total population census report years 1920-60 and percent population change 1940-60, 11 Alaskan study villages	158
Table 82.	Comparison: total population, three Upper Kobuk River villages, 1940-60	159
Table 83.	Comparison: population change, three Alaskan communities, 1920-60	159
Table 84.	Population characteristics: eleven study villages, 1956-61	161
Table 85.	Total and percent population change: Hcooper Bay, Chevak and Scammon Bay, 1930-60	162
Table 86.	Nutrient contribution from food source: 848 adult male diets, all areas and villages, all seasons	163
Table 87.	Composition of Alaskan Foods—100 grams	182
Table A-1.	Source of calories: adult male and female diets	186
Table A-2.	Source of calories: males and females 13-19 years of age	187
Table A-3.	Source of calories: children 7-12 and 2-6 years of age	188
Table B-1.	Percent calories from protein: males and females 17-70 years of age	189
Table B-2.	Source of protein: adult males and females	190

	Page
Table B-3. Source of protein: males and females 13-19 years of age	191
Table B-4. Source of protein: children 7-12 and 2-6 years of age	192
Table C-1. Percent calories from fat: males and females 17-70 years of age	193
Table C-2. Source of fat: adult males and females diets	194
Table C-3. Source of fat: male and female 13-19 years of age	195
Table C-4. Source of fat: children 7-12 and 2-6 years of age	196
Table D-1. Percent calories from carbohydrates: males and females 17-70 years of age	197
Table D-2. Source of carbohydrates: adult male and female diets	198
Table D-3. Source of carbohydrates: males and females 13-19 years of age	199
Table D-4. Source of carbohydrates: children 7-12 and 2-6 years of age	200
Table E-1. Calcium intakes of Eskimo and Indian children 2-5 years of age	201
Table E-2. Source of calcium: 368 adult female diets	202
Table E-3. Source of calcium: adult male and female diets	202
Table E-4. Source of calcium: males and females 13-19 years of age	203
Table E-5. Source of calcium: children 7-12 and 2-6 years of age	204
Table F-1. Source of iron: adult male and female diets	205
Table F-2. Source of iron: males and females 13-19 years of age	206
Table F-3. Source of iron: children 7-12 and 2-6 years of age	207
Table G-1. Seasonal fluctuations in mean daily vitamin A intakes	208
Table G-2. Vitamin A intakes: Alaskan Eskimo and Indian children 2-6 years of age	209
Table G-3. Source of vitamin A: adult male and female diets	210
Table G-4. Source of vitamin A: males and females 13-19 years of age	211
Table G-5. Source of vitamin A: children 7-12 and 2-6 years of age	212

	Page
Table H-1. Thiamine intakes: children 2-6 years of age, by area, by age level	213
Table H-2. Source of thiamine: adult male and female diets	214
Table H-3. Source of thiamine: males and females 13-19 years of age	215
Table H-4. Source of thiamine: children 7-12 and 2-6 years of age	216
Table I-1. Source of riboflavin: adult male and female diets	217
Table I-2. Source of riboflavin: males and females 13-19 years of age	218
Table I-3. Source of riboflavin: children 7-12 and 2-6 years of age	219
Table J-1. Source of niacin: adult male and female diets	220
Table J-2. Source of niacin: males and females 13-19 years of age	221
Table J-3. Source of niacin: children 7-12 and 2-6 years of age	222
Table K-1. Seasonal variations in mean daily ascorbic acid intakes, by age and sex	223
Table K-2. Source of ascorbic acid: adult males and females	223
Table K-3. Source of ascorbic acid: males and females 13-19 years of age	224
Table K-4. Source of ascorbic acid: children 7-12 and 2-6 years of age	225

FIGURES

Figure 1. Map of Alaska showing areas inhabited by Eskimos and Indians and the location of the dietary study villages	17
Figure 2. Source of milk in infant diets	75

PHOTOGRAPHS

1. Eskimo woman acting as interpreter-helper recording food intakes, Shungnak.
2. Family gardens at Unalakleet, Eskimo village located on Norton Sound, Bering Sea.
3. Athapascan Indian man and wife in front of log cabin home at Tetlin. Note "Yukon stove" used outdoors in summer.
4. Ugruk catch, split and lying on shore ice ready for final butchering by women, Sealing camp, Shishmaref.

5. Eskimo woman (past 70 years of age) using the woman's knife or ulu, Sealing camp, Shishmaref.
6. Blowing up a seal poke to be used as a storage container for seal oil and other foods, Tununak, Nelson Island.
7. Eskimo woman scraping excess blubber from poke being prepared for storing food, spring sealing camp, Shishmaref.
8. Smearing seal blood on poke to make it impervious, Shishmaref.
9. Stuffing blubber into seal poke, Tununak, Nelson Island.
10. Walrus meat drying on racks, Gambell, St. Lawrence Island.
11. Butchering beluga whale on beach at Kotzebue.
12. Typical storage cache on stilts and sod houses still in use, Akiak.
13. Preparing salmon for drying racks at summer fish camp on the Kobuk River.
14. Eskimo woman using ulu to prepare salmon for drying, Noatak.
15. Fish wheel used by Indians to catch salmon, Nenana River.
16. Young Eskimo women braiding strings of herring for drying, Tununak, Nelson Island.
17. Drawing of fish trap made of spruce root used under river ice for catching ling cod and other fish. (Drawing by Sam Ivan, Akiak Eskimo)
18. Dipping for needlefish through hole in the ice. Note pile of fish at right, Newtok.
19. Removing ling cod from fish trap. Funnel is made of willow root, trap of chicken wire, Newtok.
20. Woman fishing through river ice for whitefish and arctic trout, Noatak.
21. Eskimo woman gigging for tom cod through ice, Norton Sound, Bering Sea.
22. Ulu, Eskimo woman's knife. At top and right, old type ulus with bone handles and slate blades; bottom, modern type with tempered steel blade, usually made from used saw blade.
23. Spoons, masher (for berries and greens) Shishmaref; and meat tray carved from driftwood, Savoonga, St. Lawrence Island.
24. Wooden serving or storage bowls made by both Eskimo and Athapascan Indian men. Very few in existence now. Lower Yukon and Kuskokwim River area.
25. Birchbark berry basket and wooden scoop carved from willow or spruce root, Shungnak.